

Reference List

- Abel, W.O., R. Reski & C. Fhe. 1985. The effects of cytokinins and auxins on protonema differentiation depend on culture conditions and phytohormone concentration. *Proceedings of the 12th International Conference on Plant Growth Substances* **132**.
- Asahi, Y. & S. Toyama. 1982. Some factors affecting the chloroplast replication in the moss *Plagiomnium trichomanes*. *Protoplasma* **112**, 9-16.
- Ashton, N.W. 1987. The role of medium acidification and auxin transport in the morphogenesis of *Physcomitrella patens*. *British Bryological Society Bulletin* **49**, 16-17.
- Ashton, N.W., P.J. Boyd, D.J. Cove & C.D. Knight. 1988. Genetic analysis in *Physcomitrella patens*. In, J.M. Glime, ed., *Methods in Bryology*. Pp. 59-72. Hattori Botanical Laboratory, Nichinan, Japan.
- Ashton, N.W. & D.J. Cove. 1977. The isolation and preliminary characterisation of auxotrophic and analogue resistant mutants of the moss, *Physcomitrella patens*. *Molecular and general Genetics* **154**, 87-95.
- Ashton, N.W., D.J. Cove & D.R. Featherstone. 1979. The isolation and physiological analysis of mutants of the moss, *Physcomitrella patens*, which over-produce gametophores. *Planta* **144**, 437-442.
- Ashton, N.W., N.H. Grimsley & D.J. Cove. 1979. Analysis of gametophytic development in the moss, *Physcomitrella patens*, using auxin and cytokinin resistant mutants. *Planta* **144**, 427-435.
- Ashton, N.W., A. Schulze, P. Hall & R.S. Bandurski. 1985. Estimation of indole-3-acetic acid in gametophytes of the moss, *Physcomitrella patens*. *Planta* **164**, 142-144.
- Batra, A. & W.O. Abel. 1981. Development of moss plants from isolated and regenerated protoplasts. *Plant Science Letters* **20**, 183-189.
- Becker, H. 1989. Bryophytes, a rich source of secondary metabolites. *Botanica Acta* **102**, 181-182.
- Beutelmann, P. 1973. Untersuchungen zur Biosynthese eines Cytokinins in Calluszellen von Laubmoossporophyten. *Planta* **112**, 181-190.
- Beutelmann, P. 1977. Purification and identification of a cytokinin from moss callus cells. *Planta* **133**, 215-217.
- Bhatla, S.C. & M. Bopp. 1985. The hormonal regulation of protonema development in mosses. III. Auxin-resistant mutants of the moss *Funaria hygrometrica* Hedw. *Journal of Plant Physiology* **120**, 233-243.
- Bhatla, S.C. & R.N. Chopra. 1983. Effect of chelating agents and metal ions on gametangial formation in the moss *Bryum argenteum*. Hedw. *Annals of Botany* **52**, 755-761.
- Bopp, M. 1952. Entwicklungsphysiologische Untersuchungen an Laubmoos-protonemen. *Zeitschrift fuer Botanik* **40**, 119-152.
- Bopp, M. 1959. Versuche zur Analyse von Wachstum und Differenzierung des Laubmoosprotonemas. *Planta* **53**, 178-197.
- Bopp, M. 1977. Aspekte der Physiologie und der Phylogenie der hormonalen Regulation der Knospenbildung in Laubmoosen. *Congr. Int. Bryol., Bryophyt. Bibliotheca*, **13**, 777-783.
- Bopp, M. 1980. The hormonal regulation of morphogenesis in mosses. In F. Skoog ed., *Plant growth substances*. Pp. 351-361. Springer Verlag, New York, Berlin, Heidelberg.

- Bopp,M. 1983. Developmental physiology of bryophytes. *In* R.M.Schuster, ed., *New Manual of Bryology*. Pp. 276-324. Hattori Botanical Laboratory, Tokyo, Japan.
- Bopp,M. 1983. Cell pattern and differentiation in bryophytes. *In* D.J.C.P.W.Balow, ed., *Positional controls in plant development*. Pp. 157-191. Cambridge University Press, Cambridge.
- Bopp,M. 1984. The hormonal regulation of protonema development in mosses. II. The first steps of cytokinin action. *Zeitschrift fuer Pflanzenphysiologie* **113**, 435-444.
- Bopp,M. & H.Brandes. 1964. Versuche zur Analyse der Protonemaentwicklung der Laubmoose. II. den Zusammenhang zwischen Protonemadifferenzierung und Kinetinwirkung bei der Bildung von Moosknospen. *Planta* **62**, 116-136.
- Bopp,M. & U.Erichsen. 1981. Metabolism of the cytokinins in mosses. *In* J. Peaud-Lenoel, ed., *Metabolism and molecular activities of cytokinins. Proceedings of the International Colloquium of the Centre National de la Recherche Scientifique*. pp. 105-114. Springer Verlag, Berlin, Heidelberg, New York.
- Bopp,M., U.Erichsen, M.Nessel & B.Knoop. 1978. Connection between the synthesis of differentiation specific proteins and the capacity of cells to respond to cytokinin in the moss *Funaria*. *Physiologium Plantarum* **42**, 73-78.
- Bopp,M. & J.Fell. 1976. Manifestation der Cytokinin abhaengigen Morphogenese bei der Induktion von Moosknospen. *Zeitschrift Pflanzenphysiologie* **79**, 81-87.
- Bopp,M., D.Gerhaeuser & U.Kessler. 1985. On the hormonal system of mosses. *Proceedings of the 12th International Conference on Plant Growth Substances* **134**.
- Bopp,M. & H.J.Jacob. 1986. Cytokinin effect on branching and bud formation in *Funaria*. *Planta* **169**, 462-464.
- Bopp,M., H.Jahn & B.Klein. 1964. Eine einfache Methode, das Substrat whrend der Entwicklung von Laubmoosprotonemen zu wechseln. *Revue Bryol. Lichenol.*, **33**, 219-223.
- Bopp,M. & B.Knoop. 1984. Culture methods for bryophytes. *In* I.K. Vasil, ed., *Cell culture and somatic cell genetics of plants*. Pp. 96-105).
- Bopp,M., U.Markmann-Mulisch & U.Kessler. 1988. Distribution of target cells for cytokinins in the protonema of *Polytrichum formosum* and *Funaria hygrometrica*. *Beitrag Biologie Pflanzen*, **63**, 41-53.
- Bopp, M. & R.Vicktor. 1988. Protoplasts of *Marchantia polymorpha* and its development. *Plant Cell Physiology* **29**, 497-501.
- Bopp, M., S.Zimmermann & B.Knoop. 1980. Regeneration of protonema with multiple DNA content from isolated protoplasts of the moss *Funaria hygrometrica*. *Protoplasma* **104**, 119-127.
- Boyd,P.J., J.Hall & D.J.Cove. 1988. An airlift fermenter for the culture of the moss *Physcomitrella patens*. *In*, J.M.Glime, ed., *Methods in Bryology*. Pp. 41-45. Hattori Botanical Laboratory, Nichinan, Japan.
- Boyd,P.J., N.W.Grimsley & D.J.Cove. 1988. Somatic mutagenesis of the moss, *Physcomitrella patens*. *Molecular and general Genetics* **211**, 545-546.
- Brandes,H. 1967. Der Wirkungsmechanismus des Kinetins bei der Induktion von Knospen am Protonema der Laubmoose. *Planta* **74**, 55-71.
- Brandes,H. 1967. Fluoreszenzmikroskopische Analyse der Knospenanlagen von Moosprotonemen nach Anfaerbung mit Acridinorange. *Planta* **74**, 45-54.
- Brandes,H. & H.Kende. 1968. Studies on cytokinin-controlled bud formation in moss protonemata. *Plant Physiology* **43**, 827-837.

- Brown, R.C. & B.E. Lemmon. 1984. Plastid apportionment and preprophase microtubule bands in monoplastidic root meristem cells of *Isoetes* and *Selaginella*. *Protoplasma* **123**, 95-103.
- Burgess, J., & P.J. Linstead. 1981. Studies on growth and development of protoplasts of the moss, *Physcomitrella patens*, and its control by light. *Planta* **151**, 331-338.
- Chopra, R.N. & S. Dhingra-Babbar. 1988. Studies on protonemal differentiation and bud formation in *Philonotis lancifolia* Mitt. I. Effect of some growth regulators. *Cryptogamie, Bryologie et Lichenologie* **9**, 241-254.
- Chopra, R.N. & P. Sharma. 1985. Effect of cyclic 3',5'-adenosine monophosphate and kinetin on growth and fertility in the male clones of the moss *Microdus brasiliensis* (Dub.) Thér. *Journal of Plant Physiology* **117**, 293-296.
- Conrad, P.A., G.L. Steucek & P.K. Hepler (1986). Bud formation in *Funaria*: organelle redistribution following cytokinin treatment. *Protoplasma* **131**, 211-223.
- Courtice, G.R.M. 1979. Developmental Genetic Studies of *Physcomitrella patens*. Ph.D. Thesis, University of Cambridge.
- Courtice, G.R.M., N.W. Ashton & D.J. Cove. 1978. Evidence for the restricted passage of metabolites into the sporophyte of the moss, *Physcomitrella patens* (Hedw.) Br. Eur. *Journal of Bryology* **10**: 191-198.
- Courtice, G.R.M. & D.J. Cove. 1983. Mutants of the moss, *Physcomitrella patens* which produce leaves of altered morphology. *Journal of Bryology* **12**: 595-609.
- Cove, D.J. 1983. Genetics of Bryophyta. In R.M. Schuster, ed., *New Manual of Bryology*. Pp. 222-231. Hattori Botanical Laboratory, Tokyo, Japan.
- Cove, D.J. 1984. The role of cytokinin and auxin in protonemal development in *Physcomitrella patens* and *Physcomitrium sphaericum*. *Journal of the Hattori Botanical Laboratory* **55**, 79-86.
- Cove, D.J. & N.W. Ashton. 1984. The hormonal regulation of gametophytic development in bryophytes. In A.F. Dyer & J.G. Duckett, eds., *The Experimental Biology of Bryophytes*. Pp. 177-201. Academic Press, London, England.
- Cove, D.J. & N.W. Ashton. 1988. Growth regulation and development in *Physcomitrella patens*: an insight into growth regulation and development of bryophytes. *Botanical Journal of the Linnean Society* **98**, 247-252.
- Cove, D.J., N.W. Ashton, D.R. Featherstone & T.L. Wang. 1980. The use of mutant strains in the study of hormone action and metabolism in the moss, *Physcomitrella patens*. In D.R. Davies and D.A. Hopwood, eds., *The Plant Genome. Proceedings of the Fourth John Innes Symposium, 1979*. Pp. 231-241. The John Innes Charity, Norwich, England.
- Cove, D.J. & C.D. Knight. 1987. Gravitropism and phototropism in the moss, *Physcomitrella patens*. In H. Thomas and D. Grierson, eds., *Developmental mutants of higher plants*. Pp. 181-196. Cambridge University Press, London.
- Cove, D.J., A. Schild, N.W. Ashton & E. Hartmann. 1978. Genetic and physiological studies of the effect of light on the development of the moss, *Physcomitrella patens*. *Photochem. Photobiol.* **27**, 249-254.
- Cove, D.J. & Lamparter, T. (1998) The role of light in the regulation of moss development. In "Microbial responses to light and time" Society of General Microbiology Symposium 56 (eds: M.X. Caddick, S. Baumberg, M.K. Phillips-Jones & D.A. Hodgson). Cambridge University Press, Cambridge (in the press).

- Doonan, J.H., D.J.Cove & C.W.Lloyd. 1985. Immunofluorescence microscopy of microtubules in intact cell lineages of the moss, *Physcomitrella patens*. I. Normal and CICIP-treated tip cells. *Journal of Cell Science* **75**, 131-147.
- Doonan, J.H., G.I.Jenkins, D.J.Cove & C.W.Lloyd. 1986. Microtubules connect the migrating nucleus to the prospective division site during side branch formation in the moss, *Physcomitrella patens*. *European Journal of Cell Biology* **41**, 157-164.
- Doonan, J.H., D.J.Cove, F.M.K.Corke & C.W.Lloyd. 1987. The pre-prophase band of microtubules, absent from tip growing moss filaments, arises in leafy shoots during transition to intercalary growth. *Motility and the Cytoskeleton* **7**, 138-153.
- Doyle, W. T. (). Mosses and Liverworts. , 329-339.
- Dunlop, M.K. 1982. Biochemical and genetical studies of inorganic nitrogen metabolism in the moss, *Physcomitrella patens*. Ph.D. Thesis, Department of Genetics, University of Leeds, England.
- Duckett, J.G. & K.S.Renzaglia. 1988. Cell and molecular biology of bryophytes: ultimate limits to the resolution of phylogenetic problems. *Botanical Journal of the Linnean Society* **98**, 225-246.
- Duckett, J.G. 1986. Ultrastructure in bryophyte systematics and evolution: an evaluation. *Journal of Bryology* **14**, 25-42.
- Engel, P.P. 1968. The induction of biochemical and morphological mutants of the moss, *Physcomitrella patens*. *American Journal Botany* **55(4)**: 438-446.
- Erichsen, J., B.Knoop & M.Bopp. 1977. On the action mechanism of cytokinins in mosses: caulonema specific proteins. *Planta* **135**, 161-168.
- Erichsen, U., B.Knoop & M.Bopp. 1978. Uptake, transport and metabolism of cytokinin in moss protonema. *Plant & Cell Physiology* **19**, 839-850.
- Featherstone, D.R. 1980. Studies of mutants of the moss, *Physcomitrella patens*, which over-produce gametophores. Ph.D. Thesis, University of Cambridge, Cambridge, U.K.
- Fiedrich, M.A. & W.O.Abel. 1982. Die Keimung von Moosporen im Weilicht bei unterschiedlichen Belichtungsbedingungen. *Mitteilungen der Institut Allgemeine Botanik, Hamburg* **18**, 33-41.
- Frahm, J.-P. & E.Walsemann. 1973. Nachträge zur Moosflora von Schleswig-Holstein. *Mitteilungen der Arbeitsgemeinschaft Geobotanik in Schleswig-Holstein und Hamburg* **23**, 94-95.
- Futers, T.S. 1985. The mode of action of cytokinin in the moss *Physcomitrella patens*. Ph.D. Thesis. University of Leeds, Leeds, U.K.
- Futers, T.S., T.L.Wang & D.J.Cove. 1986. Characterisation of a temperature-sensitive gametophore over-producing mutant of the moss, *Physcomitrella patens*. *Molecular and general Genetics* **203**, 529-532.
- Gardner, G., M.R.Sussman & H.Kende. 1970. *In vitro* cytokinin binding to a particulate cell fraction from protonemata of *Funaria hygrometrica*. *Planta* **143**, 67-73.
- Giles, K.L. & A.O.Taylor. 1971. The control of chloroplast division in *Funaria hygrometrica*. I. Patterns of nucleic acid, protein and lipid synthesis. *Plant and Cell Physiology* **12**, 437-445.
- Girke, T., Schmidt, H., Zähringer, U., Reski, R. & Heinz, E. 1998. Identification of a novel Δ^6 -acyl-group desaturase by targeted gene disruption in *Physcomitrella patens*. *Plant Journal* **15**, 39-48.

- Gorton, B.S. & R.E. Eakin. 1957. Development of the gametophyte of the moss *Tortella caespitosa*. Botanical Gazette (Chicago) **119**, 31-38.
- Grimsley, N.H. 1978. Genetic analysis of the moss *Physcomitrella patens* using protoplast fusion. Ph.D. Thesis, University of Cambridge, Cambridge, U.K.
- Grimsley, N.H., N.W. Ashton & D.J. Cove. 1977. The production of somatic hybrids by protoplast fusion in the moss, *Physcomitrella patens*. Molecular and general Genetics **154**, 97-100.
- Grimsley, N.H., N.W. Ashton & D.J. Cove. 1977. Complementation analysis of auxotrophic mutants of the moss, *Physcomitrella patens* using protoplast fusion. Molecular and general Genetics **155**: 103-107.
- Grimsley, N.H., D.R. Featherstone, G.R.M. Courtice, N.W. Ashton & D.J. Cove. 1979. Somatic hybridization following protoplast fusion as a tool for the analysis of development in the moss, *Physcomitrella patens*. In *Advances in Protoplast Research. Proceedings of the 5th International Protoplast Symposium, Szeged, Hungary*. Pp. 363-376. Akademiai Kiado, Budapest, Hungary.
- Grimsley, N.H. & L.A. Withers. 1983. Cryopreservation of cultures of the moss *Physcomitrella patens*. Cryoletters **4**: 251-258.
- Hahn, H. & M. Bopp. 1972. Foerderung von Protonemawachstum und Knospenbildung bei dem Laubmoos *Funaria hygrometrica* durch Pilze. Zeitschrift Pflanzenphysiologie **68**, 19-29.
- Handa, A.K. & M.M. Johri. 1979. Involvement of cyclic adenosine-3',5'-monophosphate in chloronema differentiation in protonema cultures of *Funaria hygrometrica*. Planta **144**, 317-324.
- Hansen, S., H.-U. Koop & W.O. Abel. 1988. Electrofusion of two selected single moss protoplasts. Mitteilungen der Institut Allgemeine Botanik, Hamburg **22**, 29-34.
- Hartmann, E., B. Klingenberg & L. Bauer. 1983. Phytochrome-mediated phototropism in protonemata of the moss *Ceratodon purpureus* Brid. Photochemistry and Photobiology **38**, 599-603.
- Herrmann, R.G., H.K. Palta & K.V. Kowallik. 1980. Chloroplast DNA from three Archegoniates. Planta **148**, 319-327.
- Hofmann, A.H., Codon, A.C., Ivascu, C., Russo, V.E.A., Knight, C., Cove, D., Schaefer, D.G., Chakhparonian, M., Zryd, J.-P. 1999. A specific member of the Cab multigene family can be efficiently targeted and disrupted in the moss *Physcomitrella patens*. Molecular and General Genetics **261**, 92-99.
- Jenkins, G.I., G.R.M. Courtice & D.J. Cove. 1986. Gravitropic responses of wild-type and mutant strains of the moss, *Physcomitrella patens*. Plant Cell and Environment **9**, 637-644.
- Jenkins, G.I. & D.J. Cove. 1983a. Light requirements for the regeneration of protoplasts of the moss, *Physcomitrella patens*. Planta **157**, 39-45.
- Jenkins, G.I. & D.J. Cove. 1983b. Phototropism and polarotropism of primary chloronemata of the moss, *Physcomitrella patens*: responses of the wild-type, Planta **158**, 357-364.
- Jenkins, G.I. & D.J. Cove. 1983c. Phototropism and polarotropism of primary chloronemata of the moss, *Physcomitrella patens*: responses of mutant strains. Planta **158**, 432-438.
- Jensen, N. 1952. Die Moosflora von Schleswig-Holstein. Mitteilungen der Arbeitsgemeinschaft für Floristik in Schleswig-Holstein und Hamburg **4**, 126-127.
- Johri, M.M. 1973. Differentiation of caulonema cells by auxins in suspension cultures of *Funaria hygrometrica*. In *Plant Growth Substances* Pp. 925-933. Hirokawa Publ., Tokyo, Japan.

- Johri, M.M. 1975. The protonema of *Funaria hygrometrica* as a system for studying cell differentiation. In S. Ram Shah, ed., *Form, Structure and Function in Plants*. Pp. 116-124. ?, India.
- Johri, M.M. 1978. Regulation of cell differentiation and morphogenesis in lower plants. In T.A. Thorpe, ed., *Frontiers of Plant Tissue Culture*. Pp. 27-36. ?
- Johri, M.M. & S. Desai. 1973. Auxin regulation of caulonema formation in moss protonema. *Nature New Biology* **245**, 223-224.
- Kammerer, W. and Cove, D. 1996. Genetic analysis of the effects of re-transformation of transgenic lines of the moss *Physcomitrella patens*. *Molecular and General Genetics* **250**, 380-382.
- Karunnen, P. 1979. Effect of light intensity on growth, CO₂-fixation and chlorophyll and polar lipid production in germinating *Polytrichum commune* spores. *Physiologia Plantarum* **45**, 197-200.
- Knight, C.D. 1987. Gravitropism in the moss *Physcomitrella patens*. PhD thesis, University of Leeds.
- Knight, C.D. & D.J. Cove. 1988. Time-lapse microscopy of gravitropism in the moss *Physcomitrella patens*. In J.M. Glime, ed., *Methods in Bryology*. Pp 127-129. The Hattori Botanical Laboratory, Nichinan, Miyazaki, Japan.
- Knight, C.D. & D.J. Cove. 1989. The genetic analysis of tropic responses. *Environmental and Experimental Botany* **29**, 57-70.
- Knight, C.D., D.J. Cove, P.J. Boyd & N.W. Ashton. 1988. The isolation of biochemical and developmental mutants in *Physcomitrella patens*. In J.M. Glime, ed., *Methods in Bryology*. Pp 47-58. The Hattori Botanical Laboratory, Nichinan, Miyazaki, Japan.
- Knoop, B. 1973. Untersuchungen zum Regenerationsmechanismus bei *Funaria hygrometrica* Sibth. *Zeitschrift Pflanzenphysiologie* **70**, 22-33.
- Lehnert, B. & M. Bopp. 1983. The hormonal regulation of protonema development in mosses. I. Auxin-cytokinin interaction. *Zeitschrift Pflanzenphysiologie* **110**, 379-391.
- Lippincott, B.B. & J.A. Lippincott. 1984. Role of the moss cell wall in gametophore formation induced by *Agrobacterium tumefaciens*. *Botanical Gazette* **145**, 302-307.
- Lorch, D. 1984. Bleiakкумуляtion durch einige Kryptogamen im Laborversuch. *Mitteilungen der Institut Allgemeine Botanik, Hamburg* **19**, 57-81.
- Machuka, J., Bashiardes, S., Ruben, E., Spooner, K., Cuming, A., Knight, C. & Cove, D. 1999. Sequence analysis of expressed sequence tags from an ABA-treated cDNA library identifies stress response genes in the moss *Physcomitrella patens*. *Plant Cell Physiology* **40**, 378-387.
- Marienfeld, J. & W.O. Abel. 1985. The influence of the antibiotic hadacidin on the differentiation of the moss *Physcomitrella patens* (Hedw.) Bruch and Schimp. *Proceedings of the 12th International Conference on Plant Growth Substances* **25**.
- Marienfeld, J.R., R. Reski, C. Friese & W.O. Abel. 1989. Isolation of nuclear, chloroplast and mitochondrial DNA from the moss *Physcomitrella patens*. *Plant Sciences* **61**, 235-244.
- Markmann-Mulisch, U. & M. Bopp. 1987. The hormonal regulation of protonema development in mosses. IV. The role of Ca²⁺ as cytokinin effector. *Journal of Plant Physiology* **129**, 155-168.
- Menon, M.K.C. & M. Lal. 1974. Morphogenetic role of kinetin and abscisic acid in the moss *Physcomitrium*. *Planta* **115**, 319-328.
- Nagl, W. 1974. Elektronenmikroskopischer Vergleich der Nukleolen und Plastiden im Gametophyten und Sporophyten des Lebermooses *Sphaerocarpus donnellii*. *Phyton (Austria)* **16**, 159-163.

- Nagl, W. & H. Ullmann. 1973. Multiple DNS-Mengen in Zellkernen haploider und diploider Gametophyten bei der Laubmoosgattung *Drepanocladus*. Oesterrische Botanische Zeitschrift **121**, 99-105.
- Nakosteen, P.C., D. Dodson & K.W. Hughes. 1979. Regeneration and photoreactivation after ultraviolet irradiation of moss cells. Environmental and Experimental Botany **19**, 93-97.
- Nebel, B.J. & A.W. Naylor. 1968. Initiation and development of shoot-buds from protonemata in the moss *Physcomitrium turbinatum*. American Journal of Botany **55**, 33-37.
- Nehlsen, W. 1979. A new method for examining induction of moss buds by cytokinin. American Journal of Botany **66**, 601-603.
- Ohyama, K., H. Fukuzawa, T. Kohchi, H. Shirai, T. Sano, S. Sano and K. Umesono. 1986. Chloroplast gene organization deduced from complete sequence of liverwort *Marchantia polymorpha* chloroplast DNA. Nature, **322**, 572-574.
- Ohyama, K., Y. Yamano, H. Fukuzawa, T. Komano, H. Yamagishi, S. Fujimoto & M. Sugiura. 1983. Physical mappings of chloroplast DNA from liverwort *Marchantia polymorpha* L. cell suspension cultures. Molecular and general Genetics **189**, 1-9.
- Paolillo, D.J. 1984. Cell and Plastid Cycles. In A.F. Dyer & J.G. Duckett, eds., *The Experimental Biology of Bryophytes*. Pp.117-142. Academic Press, London, England.
- Perry, K.C. & D.J. Cove. 1986. Transfer RNA pool sizes and half lives in wild-type and cytokinin over-producing strains of the moss, *Physcomitrella patens*. Physiologia Plantarum **67**, 680-684.
- Powell, A.J., C.W. Lloyd, A.R. Slabas & D.J. Cove. 1980. Demonstration of the microtubular cytoskeleton in the moss, *Physcomitrella patens*. Plant Science Letters **19**, 401-440.
- Rawat, M.S. 1973. Some aspects of the physiology of bud-induction in mosses. Botanica (Dehli), **24**, 7-10.
- Reski, R. 1998. Development, Genetics and Molecular Biology of Mosses. Botanica Acta **111**, 1 - 15.
- Reski, R. & W.O. Abel. 1985. Induction of budding on chloronemata and caulonemata of the moss, *Physcomitrella patens*, using isopentenyladenine. Planta, **165**, 354-358.
- Reski, R., W.O. Abel & D. Svensson. 1986. Cytokinin-sensitive Mutanten von *Physcomitrella patens*. Mitteilungen der Institut Allgemeine Botanik, Hamburg **21**, 127-138.
- Reski, R., Faust, M., Wang, X.H., Wehe, M. & Abel, W.O. 1994. Genome analysis of the moss, *Physcomitrella patens* (Hedw.) B.S.G. Molecular and General Genetics **244**, 352-359.
- Reski, R., Reynolds, S., Wehe, M., Kleber-Janke, T. & Kruse, S. 1998. Moss (*Physcomitrella patens*) ESTs include several sequences which are novel for plants. Botanic Acta **111**, 145-151.
- Rohwer, F., & M. Bopp. 1984. Ethylene synthesis in moss protonema. Journal of Plant Physiology **117**, 331-338.
- Rose, S. & M. Bopp. 1983. Uptake and polar transport of indoleacetic acid in moss rhizoids. Physiologia Plantarum **58**, 57-61.
- Rose, S., J. Eberhardt & M. Bopp. 1983. Temperature dependent auxin efflux from moss protonema. Zeitschrift Pflanzenphysiologie **109**, 243-249.
- Sack, F.D. & D.J. Paolillo. 1983. Protoplasmic changes during stomatal development in *Funaria*. Canadian Journal of Botany **61**, 2515-2526.

- Sambrook,J., E.F.Fritsch, & T.Maniatis. 1989. Molecular Cloning. A Laboratory Manual. Second Edition. Cold Spring Harbor Laboratory Press 1989.
- Saunders,M.J. 1986. Cytokinin activation and redistribution of plasma-membrane ion channels in *Funaria*. A vibrating-microelectrode and cytoskeleton-inhibitor study. *Planta*, **167**, 402-409.
- Saunders,M.J. 1986. Correlation of electrical current influx with nuclear position and division in *Funaria* caulonema tip cells. *Protoplasma* **132**, 32-37.
- Sawahel,W., S.Onde, C.D.Knight & D.J.Cove. 1992. Transfer of foreign DNA into *Physcomitrella patens* protonemal tissue by using the gene gun. *Plant Mol Biol Rep* **10**, 315-316.
- Schaefer,D. & Zryd,J.-P., 1997. Efficient gene targeting in the moss *Physcomitrella patens*. *Plant Journal*, **11**, 1195-1206.
- Schaefer,D., J.-P.Zryd, C.D.Knight & D.J.Cove. 1991. Stable transformation of the moss *Physcomitrella patens*. *Molec Gen Genet* **226**, 418-424.
- Schneider,J., A.Szweykowska & M.Spychala. 1975. Evidence against mediation of adenosine-3',5'-cyclic monophosphate in the bud-inducing effect of cytokinins in moss protonemata. *Act. Soc. Bot. Pol.*, **XLIV**, 607-614.
- Schnepf,E., G.Deichgrber M.Bopp. 1986. Growth, cell wall formation and differentiation in the protonema of the moss, *Funaria hygrometrica*: effects of plasmolysis on the developmental program and its expression. *Protoplasma* **133**, 50-65.
- Sebanek,J. & K.Slaby. 1982. Correlative effects of root and basal part of stem upon the content of cytokinins in leaves of *Bryophyllum crenatum*. *Biochemie Physiologie Pflanzen* **177**, 441-444.
- Sharma,S. & M.M.Johri. 1982. Partial purification and characterization of cyclic AMP phosphodiesterases from *Funaria hygrometrica*. *Archives of Biochemistry and Biophysics* **217**, 87-97.
- Sharma,S. & M.M.Johri. 1983. Cyclic AMP phosphodiesterases of *Funaria hygrometrica*. *Phytochemistry* **22**, 2715-2717.
- Sood,S., K.Brenner & M.Bopp. 1978. The occurrence of caulonema-specific proteins in different moss species. *Planta*, **138**, 299-301.
- Sood,S. & R,N,Chopra. 1973. A record preponement of bud-induction in the moss *Entodon myurus*. *Zeitschrift Pflanzenphysiologie* **69**, 390-393.
- Sood,S., & D.Hackenberg. 1979. Interaction of auxin, antiauxin and cytokinin in relation to the formation of buds in moss protonema. *Zeitschrift Pflanzenphysiologie* **91**, 385-397.
- Spiess,L.D. 1975. Comparative activity of isomers of zeatin and ribosyl-zeatin on *Funaria hygrometrica*. *Plant Physiology* **55**, 583-585.
- Spiess,L.D., B.B.Lippincott,B.B. & J.A.Lippincott. 1971. Development and gametophore initiation in the moss *Pylaisiella selwynii* as influenced by *Agrobacterium tumefaciens*. *American Journal of Botany* **58**, 726-731.
- Spiess,L.D., B. B.Lippincott & J.A.Lippincott. 1976. Comparative effects of growth substances and *Agrobacterium* on the moss protonema to gametophore phase change. *Journal of the Hattori Botanical Laboratory* **41**, 185-192.
- Spiess,L.D., B.B.Lippincott & J.A.Lippincott. 1977. Comparative response of *Pylaisiella selwynii* to *Agrobacterium* and *Rhizobium* species. *Botanical Gazette* **138**, 35-40.

- Spiess, L.D., B.B.Lippincott & J.A.Lippincott. 1984. Facilitation of moss growth and development by bacteria. *Journal of the Hattori Botanical Laboratory* **55**, 67-77.
- Spiess, L.D., B.B.Lippincott & J.A.Lippincott. 1984. Role of the moss cell wall in gametophore formation induced by *Agrobacterium tumefaciens*. *Botanical Gazette* **145**, 302-307.
- Spiess, L.D., B.B.Lippincott & J.A.Lippincott. 1984. Moss growth and development is facilitated by natural bacterial flora. In M.A.-F.N.S. Margaris & W.C.Oechel, eds., *Being alive on land. Tasks for vegetation science*. pp. 271-278). ???.
- Spiess, L.D., B.B.Lippincott & J.A.Lippincott. 1984. Influence of octopine, calcium and compounds that affect calcium transport on zeatin-induced bud formation by *Pylaisiella selwynii*. *American Journal of Botany* **71**, 1416-1423.
- Spiess, L.D., J.C.Turner, P.G.Mahlberg, B.B.Lippincott & J.A. Lippincott 1977. Adherence of *Agrobacteria* to moss protonema and gametophores viewed by scanning electron microscopy. *American Journal of Botany* **64**, 1200-1208.
- Spiker, S. 1975. An evolutionary comparison of plant histones. *Biochimica Biophysica Acta* **400**, 461-467.
- Strepp, R., Scholz, S., Kruse, S., Speth, V. & Reski, R. 1998. Plant nuclear gene knockout reveals a role in plastid division for the homolog of the bacterial cell division protein FtsZ, an ancestral tubulin. *Proc Natl Acad Sci* **95**, 4368-4373.
- Sussman, M.R. & H.Kende. 1977. The synthesis and biological properties of 8-azido-N⁶-benzyladenine, a potential photoaffinity reagent for cytokinin. *Planta* **137**, 91-96.
- Szweykowska, A. 1963. Kinetin-induced formation of gametophores in dark cultures of *Ceratodon purpureus*. *Journal of Experimental Botany* **14**, 137-141.
- Szweykowska, A., W.Ratajczak & J.Schneider 1968. Studies on the activity of kinetin in cultures of *Funaria hygrometrica*. *Acta Soc. Bot. Pol.* **38**, 139-142.
- Tan, B.C. 1978. *Physcomitrella patens* (Musci: Funariaceae) in North America. *The Bryologist* **81**, 561-567.
- Valadon, C.R.G. & R.S.Mummery. 1971. Quantitative relationship between various growth substances and bud production in *Funaria hygrometrica*. A bioassay for abscisic acid. *Physiologia Plantarum* **24**, 232-234.
- Valanne, N., E.-M.Aro & E.Repo. 1978. Changes in photosynthetic capacity and activity of RuBPCase and glycolate oxidase during the early growth of moss protonemata in continuous and rhythmic light. *Zeitschrift Pflanzenphysiologie* **88**, 123-131.
- Valentine, L.J., E.O.Campbell & D.H.Hopcroft. 1986. A study of chloroplast structure in 3 Megaceros species and 3 Dendroceros species (Anthocerotae) indigenous to New Zealand. *New Zealand Journal of Botany* **24**, 1-8.
- Wacker, I., H.-D.Reiss, E.Schnepf, K.Traxel & R.Bauer. 1986. Polar distribution of calcium- and phosphorus-rich globules induced by glutaraldehyde/tannic acid fixation in the caulonema tip cell of the moss *Funaria hygrometrica*. *European Journal of Cell Biology* **40**, 94-99.
- Wang, T.L., P.Beutelmann & D.J.Cove. 1981. Cytokinin biosynthesis in mutants of the moss, *Physcomitrella patens*. *Plant Physiology* **68**, 739-744.
- Wang, T.L., D.J.Cove, P.Beutelmann & E.Hartmann. 1980. Isopentenyladenine from mutants of the moss, *Physcomitrella patens*. *Phytochemistry* **19**, 1103-1105.

- Wang, T.L., R.L.Horgan & D.J.Cove. 1981. Cytokinins from the moss, *Physcomitrella patens*. *Plant Physiology* **68**, 735-738.
- Wang, T.L., T.S.Futers, F.McGeary & D.J.Cove. 1984. Moss mutants and the analysis of cytokinin metabolism. In A.Crozier & J.R.Hillman, eds., *The Synthesis and Metabolism of Plant Hormones*. Pp. 135-164. *Cambridge University Press*, England.
- Wanner, L.A. & V.Raghavan. 1979. The role of protein synthesis in bud initiation on the protonema of a moss. *Zeitschrift Pflanzenphysiologie* **93**, 11-21.
- Watts, J.W., J.H.Doonan, D.J.Cove & J.M.King. 1985. Production of somatic hybrids of moss by electrofusion. *Molecular and general Genetics* **199**, 349-351.
- Yoshida, K. & K.Yamamoto. 1986. Relationship between growth rate of a filament and the ability to differentiate a bud in the moss, *Physcomitrium sphaericum*. *Plant Cell Physiology* **27**, 671-675.
- Zeidler, M., Hartmann, E. and Hughes, J. 1999. Transgene expression in the moss *Ceratodon purpureus*. *J. Plant Physiol.* **154**, 641-650.
- Zinsmeister, H.D. & R.Mues. 1987. Moose als Reservoir bemerkenswerter sekundärer Inhaltsstoffe. **GIT Fachz. Lab.**, **6**, 499-512.